
)) 1. 가 가 가 HID 가 가 가 LED , LED 가 가 가 가 가

- 1 -

가 ,



2.1 LED



2.2


가 가

가 .

,

2.3 Design Stand
.

. 가




2.3 Design Stand

3.

가 . , , ,


. 가 가 가 가

, 3.1 가 .




3.1 가 Hf

3.2 (CFL) , 가 가 .





3.3 4



3.4 **LED**

4. PLS(Plasma Lighting System)


PLS 가

. 가

4.1 PLS

PLS

. PLS 6000K , 85




4.1 PLS

4.2 PLS 가 . PLS

. 20,000 가 ,

20,000 5% .



4.2 PLS

4.3 900W PLS . (Beam Angle 60°) (Beam Angle 12°) , 27mm , 가 , 가 가 4.4 PLS



4.3 900W PLS



4.4 PLS

5. HID


HID () 가 , 가 가 .

가 ,

5.1 . 25~100% .

. 250W/300W/400W

- 8 -




5.1 HID

HID

. 5.2 , 가 가

• 1



5.2 HID

5.3 가 5 .

, 가 . HQI-TS

2000W, MHN-SA 2000W, MHD 1000W, HQI_TS 1000W

IP 65 . , , aiming 5.4 , 5.5 .



5.3




5.4


5.6 HID 가 . (KS) (CIE), (IESNA) 가 , 30°~60°

0.5

0.4 . Deep Drawing

10% , . HID 150W~400W , 1 ~4 . 5.7 가








6.

LED

2.6mm 가 . LED 6.1



6.1 LED

6.3 4V 13W


30 60 가 .



6.2 LED

가 가 . 가 가 .

60%



7. · ·

. LED

.

.

. 7.1 LFS(Light Fiber System)가 . LFS


. LED

, LED

,


. LED 가 LED

가 .



7.1 LFS

TV 가 가 가 LED 가 LED LED 가 가 8.1 가 가 1.5V 2 가 (接寫) LED LED LED LED LED , LED 가 2m 가 , LED가 가



.

,

. 가 LED가

. HID

. Free Power

가 . PLS . 가

가 가 . 가 가 .